

ARDEN

trade

MILKING TECHNOLOGIES



Address of professional and
manufacturing technology

www.ardenttrade.com

We thought about
what you've been
thinking before.



INDEX

Milking Machines	5
Single Milking Single Bucket - Mini Model	6-7
Single Milking Single Bucket	8-9
Single Milking Single Bucket with Tank	10-11
Double Milking Single Bucket	12-13
Double Milking Double Bucket	14-15
Milking Parlor Pump	16-18
Milking Equipment	20
Milking Clusters	21
Milking Liners	22
Milking Tubes	23
Milking Claws	24-25
Milking Pulsator	26-27
Bucket Cover & Gaskets	28
Vanes	29
Engine & Muffler	30
Vacuum Tanks & Spare Parts	31
Wheels	32
Other Products	33
Cream Seperator	34-35
Churning Machine	36-39
P.E. Calf Hutch Set	40
Grass Cutter Machine	41
Bird Scarer Cannon	42-43
Wood Cutter Machine	44
Plough	45
Mini Trailer	46

MILKING MACHINES

With a team of highly skilled technicians and design staff, Arden Trade has the ability to provide the right solution. Why compromise when Arden Trade can ensure every investment is the best solution possible.



Single Milking Single Bucket - Mini Model

Tek Sağım Tek Güğüm - Mini Model



ARD-C110 SS

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	1 x 10 - 12
Bucket	Güğüm	20 L - S/S
Claw Type	Pençe Tipi	160 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	180 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	42 kg
Dimensions	Ebatlar	49 x 70 x 72 cm
Vacuum Tank	Vakum Tankı	-
Pallet	Palet	5 x 43 x 70 mm

TRANSPORTER

20 ft Truck	75 x Box
40 ft Truck	200 x Box
40 ft High Caba Truck	220 x Box



Single Milking Single Bucket - Mini Model

Tek Sağım Tek Güğüm - Mini Model



ARD-C110 AL

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	1 x 10 - 12
Bucket	Güğüm	20 L - Aluminium
Claw Type	Pençe Tipi	160 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	180 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	42 kg
Dimensions	Ebatlar	49 x 70 x 72 cm
Vacuum Tank	Vakum Tankı	-
Pallet	Palet	5 x 43 x 70 mm



TRANSPORTER

75 x Box	20 ft Truck
200 x Box	40 ft Truck
220 x Box	40 ft High Caba Truck

Single Milking Single Bucket

Tek Sağım Tek Güğüm



ARD-0100 SS

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	1 x 10 - 12
Bucket	Güğüm	20 L - S/S
Claw Type	Pençe Tipi	160 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	180 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	44 kg
Dimensions	Ebatlar	49 x 70 x 72 cm
Vacuum Tank	Vakum Tankı	-
Pallet	Palet	5 x 43 x 70 mm

TRANSPORTER

20 ft Truck	75 x Box
40 ft Truck	200 x Box
40 ft High Caba Truck	220 x Box



**ARD-0100 AL**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	1 x 10 - 12
Bucket	Güğüm	20 L - Aluminium
Claw Type	Pençe Tipi	160 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	180 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	44 kg
Dimensions	Ebatlar	49 x 70 x 72 cm
Vacuum Tank	Vakum Tankı	-
Pallet	Palet	5 x 43 x 70 mm

**TRANSPORTER**

75 x Box	20 ft Truck
200 x Box	40 ft Truck
220 x Box	40 ft High Caba Truck

Single Milking Single Bucket with Tank

Tek Sađım Tek Gğğm - Tanklı



ARD-U1100 SS

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sađım Kapasitesi	2 x 10 - 12
Bucket	Gğğm	40 L - S/S
Claw Type	Pençe Tipi	240 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	200 L/min
Pulsator	Pulsatör	40/60
Weight	Ađırlık	53 kg
Dimensions	Ebatlar	58 x 79 x 89 cm
Vacuum Tank	Vakum Tankı	22 L
Pallet	Palet	5 x 43 x 70 mm

TRANSPORTER

20 ft Truck	65 x Box
40 ft Truck	135 x Box
40 ft High Caba Truck	155 x Box



**ARD-U1100 AL**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	2 x 10 - 12
Bucket	Güğüm	40 L - Aluminium
Claw Type	Pençe Tipi	240 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	200 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	53 kg
Dimensions	Ebatlar	58 x 79 x 89 cm
Vacuum Tank	Vakum Tankı	22 L
Pallet	Palet	5 x 43 x 70 mm

**TRANSPORTER**

65 x Box	20 ft Truck
135 x Box	40 ft Truck
155 x Box	40 ft High Caba Truck

Double Milking Single Bucket

Çift Sağım Tek Güğüm



ARD-U1200 SS

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	2 x 10 - 12
Bucket	Güğüm	40 L - S/S
Claw Type	Pençe Tipi	240 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	200 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	56 kg
Dimensions	Ebatlar	58 x 79 x 89 cm
Vacuum Tank	Vakum Tankı	22 L
Pallet	Palet	5 x 41 x 75 mm

TRANSPORTER

20 ft Truck	65 x Box
40 ft Truck	135 x Box
40 ft High Caba Truck	155 x Box



**ARD-U1200 AL**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	2 x 10 - 12
Bucket	Güğüm	40 L - Aluminium
Claw Type	Pençe Tipi	240 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	200 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	56 kg
Dimensions	Ebatlar	58 x 79 x 89 cm
Vacuum Tank	Vakum Tankı	22 L
Pallet	Palet	5 x 41 x 75 mm

**TRANSPORTER**

65 x Box	20 ft Truck
135 x Box	40 ft Truck
155 x Box	40 ft High Caba Truck

Double Milking Double Bucket

Çift Sağım Çift Güğüm



ARD-U2200 SS

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	2 x 10 - 12
Bucket	Güğüm	2 x 30 L - S/S
Claw Type	Pençe Tipi	240 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	200 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	68 kg
Dimensions	Ebatlar	80 x 82 x 87 cm
Vacuum Tank	Vakum Tankı	22 L
Pallet	Palet	5 x 41 x 75 mm

TRANSPORTER

20 ft Truck	45 x Box
40 ft Truck	90 x Box
40 ft High Caba Truck	104 x Box



**ARD-U2200 AL**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Engine Power	Motor Gücü	0,55 kW
Rotating	Dönüş Hızı	1450 rpm/min
Milking Capacity	Sağım Kapasitesi	2 x 10 - 12
Bucket	Güğüm	2 x 30 L - Aluminium
Claw Type	Pençe Tipi	240 cc
Pump Type	Pompa Tipi	75'
Pump Capacity	Pompa Kapasitesi	200 L/min
Pulsator	Pulsatör	40/60
Weight	Ağırlık	68 kg
Dimensions	Ebatlar	80 x 82 x 87 cm
Vacuum Tank	Vakum Tankı	22 L
Pallet	Palet	5 x 41 x 75 mm

**TRANSPORTER**

45 x Box	20 ft Truck
90 x Box	40 ft Truck
104 x Box	40 ft High Caba Truck

MILKING EQUIPMENT

Browse our inventory of excellent cow milking products. We offer a range of products to ensure the safe and gentle collection of milk.



Milking Cluster 240cc

Sađım Demeti 240cc



ARD-240C

Milking Cluster 200cc

Sađım Demeti 200cc



ARD-200C

Milking Cluster 160c

Sađım Demeti 160cc



ARD-160C

Milking Cluster Silicone

Silikon Sađım Demeti



ARD-240CS

Milking Cluster Silicone

Silikon Sađım Demeti



ARD-200S

Milking Cluster Silicone

Silikon Sađım Demeti



ARD-160S

Milking Cluster Goat

Keçi Sađım Demeti



ARD-AUTG

Automatic Claw

Otomatik Pençe



ARD-AUTC10

Milking Cluster Sheep

Koyun Sađım Demeti




ARD-AUTS

Milking Liners

Meme Lastikleri





Milking Claws

Sağım Pençeleri

Milking Claw 160cc

160cc Sağım Pençesi



ARD-114C

Milking Claw 200cc

200cc Sağım Pençesi



ARD-115C

Milking Claw 240cc

240cc Sağım Pençesi



ARD-116C

Milking Claw Up 160cc

160cc Sağım Pençe Kapağı



ARD-114CU

Milking Claw Up 200cc

200cc Sağım Pençe Kapağı



ARD-115CU

Milking Claw Up 240cc

240cc Sağım Pençe Kapağı



ARD-116CU

Milking Claw Down 160cc

160cc Sağım Pençe Altı



ARD-114CD

Milking Claw Down 200cc

200cc Sağım Pençe Altı



ARD-115CD

Milking Claw Down 240cc

240cc Sağım Pençe Altı



ARD-116CD

Milking Claw Gasket 160cc

160cc Sađım Pençe Contası



ARD-114CG

Milking Claw Gasket 200cc

200cc Sađım Pençe Contası



ARD-115CG

Milking Claw Gasket 240cc

240cc Sađım Pençe Contası



ARD-116CG

Shut of Valve 160cc

160cc Pençe Takozu



ARD-114SV

Shut of Valve 200cc

200cc Pençe Takozu



ARD-115SV

Shut of Valve 240cc

240cc Pençe Takozu



ARD-116SV

Air Distributor Claw 160cc

160cc Nabız Taksimatı



ARD-114ADC

Air Distributor Claw 200cc

200cc Nabız Taksimatı



ARD-115ADC

Air Distributor Claw 240cc

240cc Nabız Taksimatı



ARD-116ADC

Pulsator & Spare Parts

Pulsatör ve Yedek Parçaları



Hose Clips

Hortum Tutucu**ARD-124**

Liner Stopper

Meme Lastiđi Tapası**ARD-125**

Vacuum Tube Venting

Vakum Tank Tapası**ARD-126**

Bucket Cover Stopper

Güğüm Kapađı Tapası**ARD-127**

Handle Plastic

Elcik**ARD-128**

Chasis Leg Rubber

Kauçuk Şasi Takozu**ARD-129**

Frame Tap Rubber

Kauçuk Şasi Tapası**ARD-130**

Frame Tap Rubber

Kauçuk Şasi Tapası**ARD-131**

Mastitis Dedector

Mastitis Dedektörü**ARD-132**

Bucket Covers & Gaskets

Güğümlü Kapakları ve Contaları

Bucket Cover 2E Narrow

Güğümlü Kapak 2E



ARD-133

Bucket Cover 3E Narrow

Güğümlü Kapak 3E



ARD-134

Bucket Cover 40 L Large

Güğümlü Kapak 40 Lt



ARD-135

Bucket Cover Gasket 30 L

Güğümlü Kapak Contası 30 Lt



ARD-136

Bucket Cover Gasket 40 L

Güğümlü Kapak Contası 40 Lt



ARD-137

Inox Cover For Stable System

Sbt Sis. Paslanmaz Güğümlü Kapak



ARD-138

Bucket Cover Rubber Nrrw Ent.

Dar Ağızlı Kauçuk Güğümlü Kapak



ARD-139

Bucket Cover Rubber Large Ent.

Geniş Ağızlı Kauçuk Güğümlü Kapak



ARD-140

Bucket Cover White Rubber

Beyaz Kauçuk Güğümlü Kapak



ARD-141

Graphite Pallets 4.9x43x70 mm


Grafit Palet 4.9x43x70 mm



ARD-142

Fiber Pallets 4.9x43x70 mm


Fiber Palet 4.9x43x70 mm



ARD-143

Graphite Pallets 4.9x40x65 mm

Grafit Palet 4.9x40x65 mm



ARD-144

Graphite Pallets 4.9x41x85 mm

Grafit Palet 4.9x41x85 mm



ARD-145

Graphite Pallets 6x46x70 mm

Grafit Palet 6x46x70 mm



ARD-146

Graphite Pallets 6x41x85 mm

Grafit Palet 6x41x85 mm



ARD-147

Fiber Pallets 6x41x85 mm

Fiber Palet 46x41x85 mm



ARD-148

Fiber Pallets 4.9x41x85 mm

Fiber Palet 4.9x41x85 mm



ARD-149

Fiber Pallets 4.9x43x80 mm

Fiber Palet 4.9x43x80 mm



ARD-150

Motors & Muffler

Motorlar ve Egzoslar

Engine 220V-50HZ 0.55 kW

Motor 220V-50HZ 0.55 kW



ARD-151

Engine 110V-60HZ 0.55 kW

Motor 110V-60HZ 0.55 kW



ARD-152

Complete Pump

Komple Pompa



ARD-153

Pump Assy Dry

Kuru Pompa



ARD-154

Pump Assy Oily

Yağlı Pompa



ARD-155

Dry Muffler

Kuru Pompa Susturucusu



ARD-156

Check Valve

Check Valf



ARD-157

Metal Bracket

Metal Dirsek



ARD-158

Oily Muffler

Yağlı Pompa Susturucusu



ARD-159

Dry Vacuum Tank

Kuru Vakum Tankı



ARD-160

Oily Vacuum Tank

Yağlı Vakum Tankı



ARD-161

Vacuum Tank Complete

Komple Vakum Tank



ARD-162

Vacuum Tank Cover

Vakum Tank Kapağı



ARD-163

Tank Cover Gasket

Tank Kapak Contası



ARD-164

Oily Model Tank Cover Assy

Yağlı Model Tank Kapak Seti



ARD-165

Oil Lubricator Assy

Yağdanlık Seti



ARD-166

Lubricator

Yağdanlık



ARD-167

Waste Oil Tank

Yağdanlık Atık Kabı



ARD-168

Wheels

Tekerlekler



Small Valve

Mini Vana



Anti Kicker

Tekmesavar



Noseband

Burunluk



Dip Case

Daldırma Kabı



Feeding Bottle Lamb

Kuzu Biberonu



Feeding Bottle 2.5 L

Biberon 2.5 Lt



Calf Feeder

Buzağı Emzikli Kova



Lamb Feeder

Kuzu Emzikli Kova



Calf Feeder Valve + Teat

Buzağı Emzik + Valf



Milking Parlor Pump

Sađımhane Pompası



ARD-70 PM

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Vacuum Pump Capacity	Vakum Pompa Kapasitesi	350 Lt/Min 50 kPa
Vacuum Pump Volume	Vakum Pompa Hacmi	34 L
Electric Engine	Motor	1,1 kW 1400 d/d 220V-50 Hz
Milking Capacity	Sađım Kapasitesi	4-5 (60 Cows in a hour)
Dimensions	Ebatlar	40 x 90 x 120 cm
Weight	Ađırlık	105 Kg

**ARD-100 PM**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Vacuum Pump Capacity	Vakum Pompa Kapasitesi	850-900 Lt/Min 50 kPa
Vacuum Pump Volume	Vakum Pompa Hacmi	34 L
Electric Engine	Motor	2,2 kW 1400 d/d 380V-50 Hz
Milking Capacity	Sađım Kapasitesi	8-9 (70-78 Cows in a hour)
Dimensions	Ebatlar	45 x 95 x 120 cm
Weight	Ađırlık	120 Kg

Mini Model

Mini Model



ARD-150 PM

—CODE—

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Vacuum Pump Capacity	Vakum Pompa Kapasitesi	1270-1300 Lt/Min 50 kPa
Vacuum Pump Volume	Vakum Pompa Hacmi	40 L
Electric Engine	Motor	2,2 kW 1400 d/d 380V-50 Hz
Milking Capacity	Sağım Kapasitesi	10-14 (80-100 Cows in a hour)
Dimensions	Ebatlar	45 x 95 x 140 cm
Weight	Ağırlık	130 Kg

FARM EQUIPMENT

ARDEN TRADE supplies you with quality
service and own production and farm
equipment



Plastic Cream Seperator

Plastik Krema Seperatorü



ARD-C80 L/H

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Max. Milk Output	Saatte Maks. Süt Çıkışı	80 L/h
Drum Rotational Speed	Tambur Dönme Hızı	10500 rpm
Number of Disks in Drum	Tamburdaki Disk Sayısı	10 to 12
Milk Bowl Capacity	Süt Haznesi Kapasitesi	12 L
Cream Ratio	Krema Oranı	1:4 to 1:10
Weight	Ağırlık	6 Kg
Material	Malzeme	Metal and Durable Plastic

**ARD-C100 L/H**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Max. Milk Output	Saatte Maks. Süt Çıkışı	80 L/h
Drum Rotational Speed	Tambur Dönme Hızı	10500 rpm
Number of Disks in Drum	Tamburdaki Disk Sayısı	10 to 12
Milk Bowl Capacity	Süt Haznesi Kapasitesi	12 L
Cream Ratio	Krema Oranı	1:4 to 1:10
Weight	Ağırlık	8 Kg
Material	Malzeme	Metal and Aluminium Bowl

Churning Machine 20 L

Yayık Makinesi 20 Lt



ARD-CH200

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Capacity	Kapasite	20 L
Engine Power	Motor Gücü	120/300 W
Voltage	Voltaj	220/240 V
Frequency	Frekans	50 Hz
Weight	Ağırlık	9 Kg
Dimensions	Ebatlar	40 x 40 x 50 cm

**ARD-CH300**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Capacity	Kapasite	30 L
Engine Power	Motor Gücü	120/300 W
Voltage	Voltaj	220/240 V
Frequency	Frekans	50 Hz
Weight	Ağırlık	9 Kg
Dimensions	Ebatlar	40 x 40 x 55 cm

Churning Machine 40 L

Yayık Makinesi 40 Lt



ARD-CH400

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Capacity	Kapasite	40 L
Engine Power	Motor Gücü	150/350 W
Voltage	Voltaj	220/240 V
Frequency	Frekans	50 Hz
Weight	Ağırlık	10 Kg
Dimensions	Ebatlar	40 x 40 x 66 cm

**ARD-CH500**

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Capacity	Kapasite	50 L
Engine Power	Motor Gücü	150/350 W
Voltage	Voltaj	220/240 V
Frequency	Frekans	50 Hz
Weight	Ağırlık	11 Kg
Dimensions	Ebatlar	40 x 40 x 76 cm

P.E. Calf Hut Set

P.E. Buzađı Kulübesi takımı



ARD-CA100

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Width	Genişlik	960 mm
Height	Yükseklik	1170 mm
Length	Uzunluk	1550 mm
Materials	Malzeme	Polyethylene Materials
Garden Materials	Bahçe Malzemesi	Hot Galvanised



ARD-GSC 250

—CODE—

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Working System	Çalışma Sistemi	Green & Dry Grass Cutter
Engine	Motor	3 kW - 4 Hp Rpm Electric Engine
Voltage	Voltaj	220 V - 380 V
Weight	Ağırlık	60 Kg
Dimensions	Ebatlar	80 x 87 x 147 cm

Bird Scarer Cannon

Mekanik Kuş Kaçırıcı



with Tripod

ARD-BSM12

—CODE—

ARD-BSM1

—CODE—

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Working System	Çalışma Sistemi	LPG (Gas)
Ignition System	Manyetik Sistemi	Automatic Magneto
Boom Sound	Patlama Sesi	120 dB
Effective Area	Etki Alanı	25000 m ²
Weight	Ağırlık	8 Kg
Dimensions	Ebatlar	17 x 64 x 48 cm



with Tripod

ARD-BSE12

CODE

ARD-BSE1

CODE

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Working System	Çalışma Sistemi	LPG (Gas)
Ignition System	Manyetik Sistemi	Electronic Ignition 12 V Battery
Boom Sound	Patlama Sesi	120 dB
Effective Area	Etki Alanı	25000 m ²
Weight	Ağırlık	9,5 Kg
Dimensions	Ebatlar	22 x 48 x 70 cm

Wood Cutter Machine

Odun Kesme Makinesi



ARD- WC 200

—CODE—

TECHNICAL SPECIFICATION / TEKNİK ÖZELLİKLER

Cutting Capacity	Kesim Kapasitesi	500 kg / hour
Blade diameter	Bıçak Çapı	450 mm
Engine	Motor	2.2 kW 3hp – 3000 rpm
Voltage	Voltaj	220 V
Weight	Ağırlık	85 Kg
Dimensions	Ebatlar	92 x 63 x 103 cm

ARD- PL 50

CODE



ARD- PL 100

CODE



Mini Trailer

Çapalama Römorku

ARD- MT 100

CODE





NOTES

NOTLAR





This catalog was made by ARDEN TRADE. Unauthorized copying and distribution of contents is prohibited.



Veysel Karani Mah. Kumsal Sok. No:10 Kat: 2-3
Tel: +90 224 999 56 07 Mob: +90 542 308 59 56
info@ardentrade.com
www.ardentrade.com

